

MOVE LIKE A PRO



TBB • LTR • OTB • OTR • AGR • IND • FORKLIFT



HANMIX INTERNATIONAL CO., LTD.

WHY HANMIX?

HANMIX is an international brand with 40 years' experience in Tyre and Tyre Accessories business.

HANMIX is not only a brand name, but a way for a better life. You can find security, safety and high quality life in the HANMIX World.

HANMIX THE QUALITY

HANMIX is committed to conducting comprehensive assessments of product quality, price, ability to supply our clients locally and internationally. All HANMIX products comply with international quality standards and are respected throughout the world.

WWW.HANMIX.NET



Quality Control:

HANMIX provides quality and quantity inspections, and offers a warranty for products purchased.



Inspected each tyre from production to the warehouse to the markets. Inspected each tyre by serial number, tread depth and weight.

Inspected each tyre by international laboratory standards.



HANMIX PRODUCTS

Tyre ▪ Tube ▪ Flap ▪ Wheel ▪ Battery

HANMIX covers over 640 kinds of products including Bicycle tyres, PCR tyres, OTR tyres, Industrial tyres, Solid tyres, Agricultural tyres, TBR tyres, TBB tyres, LTB tyres, Inner tubes, Flaps, Batteries, Wheels and Valves.



HANMIX TUBE

Hanmix Tube origin from both China and Korea covers wide range of sizes. Featured quality, durability, performance of OEM tubes without the OEM cost.



HANMIX FLAP

HANMIX can provide full range of sizes made in China and Korea Flaps with excellent quality and best service.



HANMIX BATTERY

Made in Korea, adopt the most advanced technology and production process. Feature: maintenance free, reliable starting power, convenience, long life-cycle.



HANMIX WHEEL

Hanmix can provide all types of wheels according to your request. All the wheels are strictly quality controlled and conform to international standards.





HANMIX Covers All Segments of:

TUBE



FLAP



BATTERY



WHEEL



Passenger Car	Truck and Bus	Off-the-road Vehicle	Industrial Vehicle	Forklift	Agricultural Vehicle
---------------	---------------	----------------------	--------------------	----------	----------------------

TRUCK AND BUS BIAS (TBB)	RIB	RB-821	04
		RB-822	04
		RB-824	04
	LUG	RB-823	04
		RB-825	04
		RB-826	04
		RB-827	04
		RB-828	04
	TRACTION	RB-829	06
		RB-830	06
		RW-S10	06
	SAND	RW-S20	06
		RW-S30	06
	TRAILER	RL-111	06
		RL-112	06
		RL-113	06
		RL-114	06
		RL-115	06

LIGHT TRUCK RADIAL (LTR)	MIX-200	08
	MZX-230	08

OFF THE ROAD BIAS (OTB)	G2	RW-G21	12
		RW-G22	12
		RW-744	12
	E3/L3	RW-755	12
		RW-777	12
	E4/L4	RW-333	14
		RW-551	14
	L5/L5S	RW-552	14
		RW-552	14
	IND	RW-666	14
		RW-711	14

OFF THE ROAD RADIAL (OTR)	G2	RR-444	18
		RR-311	18
	E2/L2	RR-312	18
		RR-313	18
		RR-111	18
	E3/L3	RR-211	18
		RR-114	18
		RR-112	18
		RR-112	20
		RR-211	20
	E4/L4	RR-115	20
		RR-212	20
		RR-113	20
	L5/L5S	RR-116	20
		RR-888	20
	IND	RR-555	20
		RR-711	20
		RR-712	20

AGRICULTURAL	I-1/I-3	RP-113	24
		RP-114	24
		RP-118	24
		RP-119	24
	F1/F2/F3	RP-115	28
		RP-115S	28
		RP-116	28
		RG-111	26
	R1/R2	RG-112	26
		RG-333	26
	R3	RG-333	26
	IRRIGATION	RG-111-IR	28
		RG-113	28
	PADDY	RG-114	28

INDUSTRIAL	BACK HOE	RK-111	32
		RK-112	32
		RK-114	32
		RK-115	32
		RP-113	32
	IMPLEMENT	RP-114	32
		RP-117	32
		RP-118	32
		RG-333	32
	ROLLER	RC-111	32
	COMPACTOR	RW-711	34
	EXCAVATOR	RT-111	34
	Turf	RS-111	34
		RS-112	34
		RS-113	34
		RS-114	34
		RS-116	34
		MIX-SK 44	34
		MIX-SR 44	34
		RO-120	34

FORKLIFT	PNEUMATIC	RF-111	38
		RF-112	38
		RF-222	40
	SOLID	RF-333	40
		RF-444	40
		RF-555	40
		RF-666	40
		RF-TR-01	42
	PRESS ON	RF-SM-01	42
		RF-222	40
	NON-MARKING	RF-333	40
		RF-444	40
		RF-555	40

TRUCK AND BUS BIAS

According to the pattern, vehicle type and application field,

TBB tyre can be divided into:

RIB

LUG

TRACTION

SAND

TRAILER

RIB



LUG



TRACTION



SAND



TRAILER



RIB



RB-821



RB-822



RB-824

LUG



RB-823



RB-825



RB-826



RB-827



RB-828

RIB

SIZE	RB-821	RB-822	RB-824
9.00-20		*	
825-16		*	
700-15		*	
750-16		*	*
7.50-15		*	
7.00-16		*	*
650-16		*	*
6.50-15			*
6.50-14		*	
6.00-15		*	
6.00-14		*	
6.00-13		*	
4.50-12	*		

LUG

SIZE	RB-823	RB-825	RB-826	RB-827	RB-828
9.00-20	*				
825-16	*	*	*	*	*
8.25-20	*				
700-16		*			*
7.50-20	*				
750-16	*	*	*	*	*
7.00-16	*				
650-16		*			*
6.00-16	*				
5.50-16	*				
5.00-16	*				
5.00-14	*				
4.50-16	*				
4.50-14	*				
4.00-16	*				
4.00-14	*				
4.00-12	*				

TRACTION



RB-829



RB-830

SAND



RW-S10



RW-S20



RW-S30

TRAILER



RL-111



RL-112



RL-113



RL-114



RL-115

TRACTION

SIZE	RB-829	RB-830
9.00-17		
9.00-16		
750-16		*
650-16	*	
6.00-15	*	
6.00-14	*	
6.00-13	*	

SAND

SIZE	RW-S10	RW-S20	RW-S30
9.00-17	*		
9.00-16	*		
16.00-20	*		
14.00-20	*	*	*

TRAILER

SIZE	RL-111	RL-112	RL-113	RL-114	RL-115
8-14.5					*
700-15			*		
750-16			*		
235/80D		*			
225/75D		*			
205/75D	*	*			
205/75D		*			
175/80D		*			
11-22.5				*	
1000-20				*	

LIGHT TRUCK RADIAL



MIX-200



MZX-230

SIZE	MIX-200	MZX-230
700R16	▪	▪
750R16	▪	▪

OFF THE ROAD BIAS

According to the pattern and application,
OTB tyre can be divided into:

G 2

E 3 / L 3

E 4 / L 4

L 5 / L 5 S

IND

G2



RW-G21



RW-G22

E3/L3



RW-744



RW-755



RW-777

E4/L4



RW-333

L5/L5S



RW-551



RW-552

IND



RW-666



RW-711

G2**E3/L3**

G2

SIZE	RW-G21	RW-G22
13.00-24	*	
14.00-24	*	
15.5-25	*	*
17.5-25	*	*
20.5-25	*	*
23.5-25	*	*

E3/L3

SIZE	RW-744	RW-755	RW-777
13.00-24			*
14.00-24			*
14.00-25			*
15.5-25		*	
16.00-24			*
16.00-25			*
17.5-25		*	*
18.00-24			*
18.00-25			*
20.5-25		*	*
23.5-25	*	*	*
26.5-25		*	*
29.5-25		*	*

E4/L4



RW-333

L5/L5S



RW-551



RW-552

IND



RW-666



RW-711

E4/L4

SIZE	RW-333
18.00-25	*
18.00-33	*
21.00-35	*
24.00-35	*

L5/L5S

SIZE	RW-552	RW-551
12.00-24		*
17.5-25		*
18.00-25		*
20.5-25	*	
23.5-25	*	
26.5-25	*	*
29.5-25	*	*
29.5-29		*
35/65-33	*	

IND

SIZE	RW-666	RW-711
10.00-20		*
14.00-24	*	
16.00-25	*	
18.00-25	*	
9.00-20		*

OFF THE ROAD RADIAL

According to the pattern and application,

OTR tyre can be divided into:

G2

E2/L2

E3/L3

E4/L4

L5/L5S

IND

E2/L2



RR-311



RR-312



RR-313

L5/L5S



RR-113



RR-116

E3/L3



RR-111



RR-211



RR-114



RR-112

G2



RR-444

E4/L4



RR-112



RR-211



RR-115



RR-212

IND



RR-888



RR-555



RR-711



RR-712

G2



RR-444

E2/L2



RR-311



RR-312



RR-313

E3/L3



RR-111



RR-211



RR-114



RR-112

G2

SIZE	RR-444
14.00R24(385/95R24)	*
16.00R24(445/95R24)	*

E2/L2

SIZE	RR-311	RR-312	RR-313
14.00R24(385/95R24)	*		
14.00R25(385/95R25)	*		
16.00R25(445/95R25)	*		*
18.00R25(505/95R25)		*	

E3/L3

SIZE	RR-111	RR-211	RR-112	RR-114
12.00R24		*		
13.00R25			*	
14.00R24(385/95R24)			*	
14.00R25(385/95R25)			*	
17.5R25(445/80R25)	*		*	
18.00R25(505/95R25)			*	
18.00R33		*		
20.5R25(525/80R25)	*		*	
21.00R33		*		
23.5R25	*		*	
23.5R25A	*			
24.00R35		*		
26.5R25	*		*	*
29.5R25	*		*	*
29.5R29	*			

E4/L4



RR-112



RR-211



RR-115



RR-212

L5/L5S



RR-113



RR-116

IND



RR-888



RR-555



RR-711



RR-712

E4/L4

SIZE	RR-211	RR-112	RR-115	RR-212
12.00R24	*			
13.00R25		*		
14.00R24(385/95R24)		*		
14.00R25(385/95R25)		*		
17.5R25(445/80R25)		*		
18.00R25(505/95R25)		*		
18.00R33	*			*
20.5R25(525/80R25)		*		
21.00R33	*			
21.00R35				*
23.5R25		*		
24.00R35	*			*
26.5R25		*	*	
29.5R25		*	*	
29.5R29			*	
35/65R33			*	

L5/L5S

SIZE	RR-113	RR-116
12.00R24		*
17.5R25(445/80R25)		*
20.5R25(525/80R25)	*	
23.5R25	*	
26.5R25	*	
29.5R25	*	
35/65R33	*	

IND

SIZE	RR-555	RR-888	RR-711	RR-712
11.00R20				*
12.00R20				*
12.00R24	*			
14.00R20		*	*	
14.00R24(385/95R24)	*			
18.00R25(505/95R25)	*			



Based on the pattern, vehicle type and application field,
Agricultural tyre can be divided into:

AGRICULTURAL

I-1/I-3

F1/F2/F3

R1/R2

R3

IRRIGATION

PADDY

I-1/I-3



RP-113



RP-114



RP-118



RP-119

F1/F2/F3



RP-115



RP-115S



RP-116

R1/R2



RG-111



RG-112

R3



RG-333

IRRIGATION



RG-111-IR

PADDY



RG-113



RG-114

I-1/I-3



I-1/I-3

SIZE	RP-113	RP-114	RP-118	RP-119
760L-15	•			
9.5L-15	•			
9.5L-14	•			
11L-15	•			
11L-14	•			
11L-16	•			
12.5L-15	•			
10-15	•			
207/80-50	•			
205/75-15	•			
10.0/80-12		•		
10.0/75-15.3		•		
11.5/80-15.3		•		
12.5/80-15.3		•		
400/60-15.5TL			•	•
6.00-16	•			
7.50-16	•			

R1/R2



RG-111



RG-112

R3



RG-333

R1/R2

SIZE	RG-111	RG-112
5.50-17	•	•
6.00-12	•	•
6.00-14	•	•
6.00-16	•	•
6.50-16	•	•
7.50-16	•	•
7.50-20	•	•
8.3-20	•	•
8.3-24	•	•
8.5-20	•	•
9.5-20	•	•
9.5-24	•	•
11.2-20	•	•
11.2-24	•	•
11.2-28	•	•
11.2-38	•	•
11-32	•	•
12.4-24	•	•
12.4-28	•	•
12-38	•	•
13.6-24	•	•
13.6-28	•	•

SIZE	RG-111	RG-112
14.9-24	•	•
14.9-26	•	•
14.9-28	•	•
15.5-38	•	•
16.9-28	•	•
16.9-30	•	•
16.9-34	•	•
18.4-26	•	•
18.4-30	•	•
18.4-34	•	•
18.4-38	•	•
20.8-38	•	•
23.1-26	•	•

R3

SIZE	RG-333
18.4-26	•
23.1-26	•

F1/F2/F3**RP-115****RP-115S****RP-116****PADDY****RG-113****RG-114****IRRIGATION****RG-111-IR**

F1/F2/F3

SIZE	RP-115	RP-115S	RP-116
9.5L-15	•		
11L-15	•		
4.00-12	•		
4.00-14	•		
5.00-15	•		
5.50-16	•		•
6.00-16	•		•
6.50-16	•		
6.50-20	•		
7.5L-15	•		
7.50-16	•		
7.50-18	•		
7.50-20	•		
9.00-16	•		
10.00-16	•	•	
11.00-16	•	•	

IRRIGATION

SIZE	RG-111-IR
11.2-24	•
11.2-38	•
13.6-24	•
14.9-24	•

PADDY

SIZE	RG-113	RG-114
6.00-12		•
6.50-16		•
7.50-16		•
8.3-20		•
8.3-24		•
9.5-24		•
11.2-24		•
11-32		•
12.4-28		•
14.9-24		•
14.9-30		•
16.9-30		•
16.9-34		•
19.5L-24	•	

INDUSTRIAL

Based on the machinery type,
segments under Industrial tyre include:

BACK HOE
IMPLEMENT
ROLLER
COMPACTOR
EXCAVATOR
TURF
SKID STEER

BACK HOE



RK-111



RK-112



RK-114



RK-115

ROLLER



RG-333

IMPLEMENT



RP-113



RP-114



RP-117



RP-118

COMPACTOR



RC-111

SKID STEER



RS-111



RS-112



RS-113



RS-114

EXCAVATOR



RW-711



RS-116



MIX-SK 44



MIX-SR 44



RO-120

Turf



RT-111

IMPLEMENT



RP-113



RP-114



RP-117



RP-118

BACK HOE



RK-111



RK-112




RK-114



RK-115

ROLLER



RG-333

COMPACTOR



RC-111

IMPLEMENT

SIZE	RP-113	RP-114	RP-117	RP-118
10.0/75-15.3		•		
11.5/80-15.3		•		
760L-15	•			
9.5L-15	•			
9.5L-14	•			
11L-15	•			
11L-14	•			
11L-16	•			
12.5L-15	•			
10-15	•			
207/80-15	•			
205/75-15	•			
750-16	•			
600-16	•			
10.0/80-12		•		
12.5/80-15.3		•		
11L-15TL			•	
11L-16TL			•	
400/60-15.5TL				•

BACK HOE

SIZE	RK-111	RK-112	RK-114	RK-115
16.9-24	•			
16.9-28	•			
17.5L-24	•			
19.5L-24	•		•	•
21L-24	•			
18.4-26	•			
10.5/80-18		•		
12.5/80-18		•		

ROLLER

SIZE	RG-333
18.4-26	•
23.1-26	•

COMPACTOR

SIZE	RC-111
9.00-20	•
10.00-20	•
11.00-20	•

SKID STEER



RS-111



RS-112



RS-113



RS-114



RS-116



MIX-SK 44



MIX-SR 44



RO-120

EXCAVATOR



RW-711

Turf



RT-111

SKID STEER

SIZE	RS-111	RS-112	RS-113	RS-114	RS-116	MIX-SK 44	RO-120
10-16.5	•	•	•	•	•	•	
12-16.5	•	•	•	•	•	•	
14-17.5	•						
15-19.5	•						
23x8.5-12	•						
27x8.5-15	•						
16/70-20		•					
16/70-24		•					
18-16		•					
20.5/90-16		•					
31x6x10							•
33x6x11							•
36x7x11							•
40x9x13							•
38x7x13							•

SKID STEER RADIAL

SIZE	MIX-SR44
10R16.5	▪
12R16.5	▪

EXCAVATOR

SIZE	RW-711
9.00-20	•
10.00-20	•

TURF

SIZE	RT-111
26x7.5-12	•

FORKLIFT

According to the shape, material and usage,
Forklift tyre can be divided into:

PNEUMATIC
SOLD
PRESS ON
NON-MARKING

PNEUMATIC



RF-111



RF-112

SOLID



RF-222



RF-333



RF-444



RF-555



RF-666

PRESS ON



RF-TR-01



RF-SM-01

PNEUMATIC



RF-111



RF-112

PNEUMATIC

SIZE	RF-111	RF-112
5.00-8	▪	
6.00-9	▪	
7.00-9	▪	
6.50-10	▪	
7.00-12	▪	
7.00-15	▪	
7.50-15	▪	
8.25-12	▪	
8.25-15	▪	

SIZE	RF-111	RF-112
9.00-20	▪	
10.00-20	▪	▪
12.00-20	▪	▪
250-15	▪	
300-15	▪	
18*7-8	▪	
21*8-9	▪	
23*9-10	▪	
23*10-12	▪	
27*10-12	▪	
28*9-15	▪	

SOLID



RF-222



RF-333



RF-444



RF-555



RF-666

SOLID

SIZE	RF-222	RF-333	RF-444	RF-555	RF-666
3.50-5			▪		
15*4½-8			▪	▪	▪
16*6-8	▪		▪		▪
18*7-8	▪		▪	▪	▪
140/55-9					▪
21*8-9	▪		▪		▪
200/50-10	▪		▪		▪
23*9-10	▪		▪		▪
23*10-12	▪		▪		▪
27*10-12			▪		
28*9-15	▪	▪	▪	▪	▪
2.50-15	▪				
3.00-15	▪				
3.50-15					▪
4.00-8	▪				
5.00-8	▪		▪	▪	▪
6.00-9	▪	▪	▪	▪	▪
7.00-9	▪			▪	

SIZE	RF-222	RF-333	RF-444	RF-555	RF-666
6.50-10	▪	▪	▪	▪	▪
7.00-12	▪	▪	▪	▪	▪
8.25-12	▪			▪	
7.00-15	▪				▪
7.50-15	▪				
8.25-15	▪			▪	▪
6.50-16	▪				
7.50-16	▪				▪
8.00-16		▪			
9.00-16	▪				
12.00-16	▪				
8.25-20	▪				
9.00-20	▪				
10.00-20	▪				
11.00-20	▪				
12.00-20	▪				
12.00-24	▪				
14.00-24	▪				▪

PRESS ON



RF-TR-01



RF-SM-01

PRESS ON

SIZE	RF-TR-01	RF-SM-01
9*5*5		▪
10*4*6 1/2		▪
10*5*6 1/2		▪
10*6*6 1/2		▪
10*5*6 1/4		▪
10*6*6 1/4		▪
10 1/2*5*5		▪
10 1/2*6*5		▪
10 1/2*5*6 1/2		▪
10 1/2*6*6 1/2		▪
12*4 1/2*8		▪
12*5*8		▪
13 1/2*5 1/2*8		▪
14*4 1/2*8	▪	▪
15*5*11 1/4		▪
15*6*11 1/4		▪
15 1/2*5*10	▪	▪
15 1/2*6*10		▪
16*5*10 1/2	▪	▪
16*6*10 1/2	▪	▪
16*7*10 1/2		▪
16 1/4*5*11 1/4	▪	▪
16 1/4*6*11 1/4	▪	▪
16 1/4*7*11 1/4		▪

SIZE	RF-TR-01	RF-SM-01
17*5*12 1/8		▪
18*5*12 1/8	▪	▪
18*6*12 1/8	▪	▪
18*7*12 1/8	▪	▪
18*8*12 1/8		▪
18*9*12 1/8	▪	▪
21*7*15	▪	
21*8*15	▪	▪
21*9*15		▪
20*8*16	▪	▪
22*8*16	▪	
22*9*16	▪	
22*12*16		▪
28*12*22		▪
28*14*22		▪
28*16*22		▪
36*9*30		▪
36*10*30		▪
36*12*30		▪
36*14*30		▪
40*12*30		▪
40*14*30		▪
40*16*30		▪



HANMIX INTERNATIONAL CO.,LTD Tel: +86 532 80867001 E-mail: Info@hanmix.net